30" ALL GAS PROFESSIONAL RANGE

(1)

F6PGR304S2





Heavy Duty Grates



Continuous Grate Surface



Dual Crescendo Burner



Dual Convection



Soft Closing Door



Cool Touch Door



Multi-level cooking



1 Telescopic Rack



Digital Controls



Nova Broiler System

COLOR KIT



OPTIONAL ACCESSORIES

PDRKIT30 ... Colour kit **FMWOK** Wok rina **FMSIM** Simmer plate F6BG30BCI Island trim F6BG30STD Standard trim High back trim F6BG30HBT FMGRID30 Griddle FMTRP30 Telescopic rack

COOKING SURFACE

2 Heavy Duty, continuous cast iron grates One piece, matte finish porcelain burner bowl 4 Dual-Flame Crescendo Burners 1 X 20,000 BTU max (NG) 3 X 18,000 BTU max (NG)

Natural Gas (LP convertible) NOVA BROILER SYSTEM

Intense heat sears meats and fish locking in juices, with large broiling area. Ventilation in our All Gas Pro Ranges allows for closed door broiling, which ensures constant cooking.

OVEN

Dual Convection
Oven temperature electronic control
Nova Broiler System
Black Porcelain enamel interior
Cool to touch, soft closing door
Extra-large baking cavity and viewing area
3 Halogen lights for flawless visibility
Gross capacity 4.4 cu. ft.
2 chromed racks
1 telescopic rack
Enameled Broiler Pan


OVEN FUNCTIONS

Bake Broil Convection Pizza cooking mode 590 °F Dehydrate Timer Sabbath Mode

www.fulgor-milano.com FULGOR MILANO

30" ALL GAS PROFESSIONAL RANGE





CODE ID	F6PGR304S2 - 30" ALL GAS PROFESSIONAL RANGE				
Series and Finish	600 Series - Professional Design - Stainless Steel				
CONTROL PANEL	out of the control of				
Control Type	6 Heavy Duty Knobs				
Display: Temperature - Function	White LED				
Ignition/Temperature control	Electronic Control (min/max 170/550°F)				
СООКТОР	, ,				
Туре	GAS (NG or LP)				
Cooking Surface	Matte Black Enamel				
GAS COOKTOP FEATURES					
	Electric Re-ignition system	Top Moun	t Injectors	Dual Crown Brass Burner	
	Flame-out sensing	L.P. Conv	ersion Kit		
Heavy Duty Cast Iron Grates	2				
Cooking Zones	4				
Burners types	All Dual Flame/Simmer Burner				
Power Front-L,Front-R (Max/Min) NG	20000 (BTU/h) - 5900W / 750 (BTU/h) - 220W				
Power Front-R (Max/Min) NG	-				
Power (Max/Min) NG	18000 (BTU/h) - 5300W / 750 (BTU/h) - 220W				
Power (Max/Min) LP	15000 (BTU/h) - 4400W / 750 (BTU/h) - 220W				
OVEN					
Туре	Gas - Dual Convection				
Temperature Regulation	Electronic thermostat control				
OVEN FUNCTIONS	Elocation and modula dormal				
	Bake	Br	roil	Pizza	
GAS OVEN FEATURES	Build		011	1 1220	
	Electronic Flame Ignition	Elama ou	rt Auto-off	L.P. Conversion Kit	
				L.F. Conversion Kit	
CVEN BOOD(0)	Flame-out Sensing	Sabbat	h Mode		
OVEN DOOR(S)	B				
Oven Glass Window	Deep Embossed Extra Wide Window				
Door Cooling System	4 Heat Resistant Glasses				
Door Hinges - Soft-closing System	Heavy Duty Steady Tilt				
Handle Style	Stainless Steel Tube with Metal End caps				
OVEN CAVITY					
Gross Capacity (cbft)	4.4				
Usable Capacity (cbft)	3.6				
Cavity Enamel Colour	Black				
Rack Positions	6 2v00W Halagan				
Oven Lights	3x20W Halogen				
NOVA BROILER SYSTEM BURNER	14000 (DTI I/L) 4400\AI				
Power (Max) NG	14000 (BTU/h) - 4102W				
Power (Max) LP	13000 (BTU/h) - 3800W				
BAKE BURNER	40000 (DTI I/I) - 5000M				
Power (Max) NG	18000 (BTU/h) - 5300W				
Power (Max) LP	16000 (BTU/h) - 4700W				
OVEN ACCESSORIES					
Chromed Racks	2				
Enameled Broiler Pan (basin + anti splash)	1				
Telescopic Chromed Rack	1				
DIMENSIONS/WEIGHT			T		
Overall dim - Width	29 -		(758		
Overall dim - Height (min - max)		/8", 38 1/4"	(923 mm) - (972		
Overall dim - Depth	29 -		(756		
Gross Weight	322	lbs	(146	kg)	
POWER / RATINGS (120 V, 60 HZ)					
Watts / Amps	200W - 1.7A				
Power Cable	Nema 5-15P				
INSTRUCTIONS FOR USE					
Use & Care Manual / Installation Manual		English / Free	nch / Spanish		
		-			

www.fulgor-milano.com FULGOR MILANO